

SULFAMIC ACID

Material Safety Data Sheet

1. Product And Company Identification

Supplier

CUSTOM BUILDING PRODUCTS

13001 SEAL BEACH BLVD.

SEAL BEACH, CA 90740 UNITED STATES

Company Contact: GEORGE MARCINA

Telephone Number: (323) 582-0846

Supplier Emergency Contacts & Phone Number

GEORGE MARCINA: (323) 582-0846

Manufacturer

CUSTOM BUILDING PRODUCTS

13001 SEAL BEACH BLVD.

SEAL BEACH, CA 90740 UNITED STATES

Company Contact: GEORGE MARCINA

Telephone Number: (323) 582-0846

Manufacturer Emergency Contacts & Phone Number

GEORGE MARCINA: (323) 582-0846

Issue Date: 03/30/2005

Product Name: SULFAMIC ACID

CAS Number: (5329-14-6)

MSDS Number: 32

2. Composition/Information On Ingredients

<u>Ingredient Name</u>	<u>(CAS Number)</u>	<u>%</u>
SULFAMIC ACID	(5329-14-6)	100

3. Hazards Identification

Primary Routes(s) Of Entry

EYES, SKIN AND NOSE.

Eye Hazards

MAY CAUSE IRRITATION UPON CONTACT.

Skin Hazards

WILL CAUSE IRRITATION.

Ingestion Hazards

IRRITATING TO MUCOUS MEMBRANES AND DIGESTIVE TRACT.

Inhalation Hazards

IRRITATING TO MUCOUS MEMBRANES.

Chronic/Carcinogenicity Effects

NONE KNOWN.

Conditions Aggravated By Exposure

NONE.

4. First Aid Measures**Eye**

IRRIGATE EYES WITH WATER FOR 15 MINUTES.

Skin

WASH EXPOSED AREAS WITH SOAP AND WATER IMMEDIATELY.

Ingestion

FLUSH WITH LARGE AMOUNTS OF WATER. DO NOT INDUCE VOMITING. CALL A PHYSICIAN.

Inhalation

REMOVE VICTIM TO FRESH AIR.

5. Fire Fighting Measures

Flash Point: 209 °C

Lower Explosive Limit: N/A

Upper Explosive Limit: N/A

Fire And Explosion Hazards

S02/S03 MAY BE RELEASED DURING FIRE.

Extinguishing Media

WATER, FOAM, CARBON DIOXIDE AND DRY CHEMICALS.

Fire Fighting Instructions

WATER SOLUTION IS ACIDIC.

6. Accidental Release Measures

IN CASE MATERIAL IS RELEASED OR SPILLED, SWEEP UP AND CONTAINERIZE DRY MATERIAL. FLUSH SPILL AREA WITH WATER.

7. Handling And Storage**Handling And Storage Precautions**

STORE IN TIGHTLY CLOSED CONTAINERS. PROTECT FROM PHYSICAL DAMAGE. STORE IN COOL, DRY, WELL VENTILATED AREA, AWAY FROM HEAT AND MOISTURE.

Work/Hygienic Practices

GOOD HOUSEKEEPING PROCEDURES SHOULD BE FOLLOWED AT ALL TIMES.

8. Exposure Controls/Personal Protection

Eye/Face Protection

SAFETY GOGGLES ARE RECOMMENDED.

Skin Protection

IMPERVIOUS GLOVES SHOULD BE WORN TO PREVENT SKIN CONTACT.

Respiratory Protection

AN APPROVED NIOSH RESPIRATOR IS RECOMMENDED.

Other/General Protection

ADEQUATE LOCAL EXHAUST.

THE USE OF IMPERVIOUS BOOTS AND CLOTHING TO PROTECT THE SKIN FROM CONTACT.

9. Physical And Chemical Properties

Appearance

WHITE, CRYSTALLINE POWDER.

Odor

NO ODOR.

Chemical Type: Mixture

Physical State: Solid

Melting Point: 205 °C

Boiling Point: DECOMPOSES °C

Specific Gravity: 2.126

Vapor Density: N/A

Solubility: SOLUBLE

Evaporation Rate: NON-VOLATILE

10. Stability And Reactivity

Stability: STABLE. UNDER ORDINARY CONDITIONS.

Hazardous Polymerization: WILL NOT OCCUR.

Conditions To Avoid (Stability)

WARM, MOIST ENVIRONMENTS.

Incompatible Materials

NITRATE, NITRATES, CHLORITES AND SULFIDES. SOLUTIONS ARE STRONG ACIDS AND WILL REACT VIOLENTLY WITH BASES.

Hazardous Decomposition Products

SULFUR OXIDES.

11. Toxicological Information

No Data Available...

12. Ecological Information

No Data Available...

13. Disposal Considerations

DISSOLVE AND NEUTRALIZE WITH SODIUM CARBONATE. DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

14. Transport Information

No Data Available...

15. Regulatory Information

SARA Hazard Classes

Acute Health Hazard

Ingredient(s) - State Regulations

SULFAMIC ACID

New Jersey - Workplace Hazard

New York City - Hazardous Substance

16. Other Information

HMIS Rating

Health: 2

Fire: 0

Reactivity: 0

Personal Protection: F

Revision/Preparer Information

MSDS Preparer: GEORGE MARCINA

MSDS Preparer Phone Number: (323) 582-0846

Disclaimer

THE INFORMATION PRESENTED HERE IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE, WHETHER ORIGINATING WITH THE COMPANY OR NOT. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED, THAT THE INFORMATION IS CURRENT, APPLICABLE, AND SUITABLE TO THEIR CIRCUMSTANCES.

CUSTOM BUILDING PRODUCTS